

General

Provide MYSON WHISPA WE50K electric kickspace fan convector as scheduled. MYSON WHISPA WE50K electric kickspace fan convectors are ETL approved.

Each WHISPA WE50K electric kickspace fan convector is engineered for with a highly efficient 53CFM tangential aluminum fan that extends the full width of the heating element, giving extremely quiet trouble free operation. The chassis is manufactured from zinc-coated painted steel. Fan assemblies have sealed, permanently lubricated motor bearings. Each WHISPA WE50K kickspace fan convector comes complete with a zinc-coated painted steel chassis and a hardened aluminum grill with a baked epoxy polyester finish for strength and durability.

Each WHISPA WE50K electric kickspace fan convector is assembled with a high and low fan power switch. Heat is controlled using a rocker switch — position #I switch "ON" for 1000 Watts (Low), and position #II switch "ON" for 2000 Watts (High). Each unit has a high temperature limit switch to shut off power in the event of excessive temperature resulting from restricted airflow.

Electrical Connections:
Left side rear of unit

Electrical Specifications:
120 Vac 60 Hz 20 amps

Available Grill Finishes:
Black



Whispa WE50K Electric Kickspace Fan Convector

Model	Settings	v/Hz	Watts	BTU/hr	Amps	Baseboard	C.I. Radiators	Weight Unit (lbs)	Weight Packed (lbs)	Dimensions		
						(580 Btu/ft)	(225 Btu/sq ft)			H	W	D
WE50K	High	110V/60Hz	2000	6824	16.7	11.8	30.3	6.9	9.7	3-3/8"	15-1/2"	8-7/8"
	Low	110V/60Hz	1000	3412	8.3	5.9	15.1					



NOTE: For proper sizing, use the rating at Medium or Low speeds.

INSTALLATION DIMENSIONS

WHISPA WE50K




FRONT GRILLE



Be sure to provide sufficient space around the unit to allow for adequate air circulation.

CONTROLS



Comes with Black Grille - standard

Quality certificates



Warranty:
MYSON WE50K kickspace fan convectors are covered by a **3 year warranty**.

PROJECT NAME:
ARCHITECT:
ENGINEER:
SUBMITTED DATE:

APPROVED DATE:

